

TF1 Omega Filter 28mm With Valves 62252

High capacity and compact design. Ideal for use in restricted spaces

Easy to install – fits on horizontal and vertical pipework in both flow directions. The filter can operate at an angle of 45°

Unique action, removes magnetic and non-magnetic contaminants from system water. Fast and easy to clean without dismantling the unit

Smart, tough, forged brass construction (no hidden porosity) with nickel plating

Unique manifold with double radial seals and multiple orientation capabilities

Powerful neodymium magnet assembly with threaded magnet cap



Designed for installation in small or restricted access areas, this high performance sealed, in-line system filter is easy to install and fast and convenient to clean. There is no need to dismantle the unit or replace o' rings during servicing, saving time on-site. Manufactured from high quality, nickel plated, brass, the TF1 Omega Filter uses Hydronic Particle Separation (HPS) technology and magnetic filtration to remove magnetic and non magnetic debris from the system. The quality and reliability of this award-winning filter is supported by a market- leading 25 year warranty.


Single Item

Height mm	90
Width mm	235
Depth mm	145
Weight kg	1.850
Barcode EAN	5014551622524

Outer Carton


Outer Height mm	190
Outer Width mm	245
Outer Depth mm	300
Outer Weight kg	10.200
OCU Bar Code No. ITG	50145510018000
Transit Type	Euro 1200 x 800

Graph



Dimensions Diagram


TF1 Omega Filter 22mm




TF1 Omega Filter 28mm



Cleaning Diagram



Dosing Diagram



Last modification

11-01-2021 (d/m/y)